JOURNAL

OF

PALEONTOLOGY

VOLUME 47

R. L. ETHINGTON W. L. FRY, W. A. CLEMENS, JR.

R. E. PECK J. W. DURHAM, J. H. PECK, JR.

EDITORS

PUBLISHED AT TULSA, OKLAHOMA

BY

THE SOCIETY OF ECONOMIC PALEONTOLOGISTS

AND MINERALOGISTS

AND BY

THE PALEONTOLOGICAL SOCIETY

Volume 47 of THE JOURNAL OF PALEONTOLOGY
was mailed on the following dates:

No. 1—February 7, 1973

No. 2—March 16, 1973

No. 3—May 12, 1973

No. 4—July 18, 1973

No. 5—September 27, 1973

No. 6—November 15, 1973

JOURNAL OF PALEONTOLOLOGY

INDEX TO VOLUME 47

AUTHOR INDEX

		No.	Page
1.	ABBOTT, B. M., Terminology of stromatoporoid shapes (paleontological note) ..	4	805
2.	ALPERT, S. P., *Bergaueria* Prantl (Cambrian and Ordovician), a probable actinian trace fossil	5	919
3.	ASH, S. R., Two new Late Triassic plants from the Petrified Forest of Arizona	1	46
4.	BAESEMANN, J. F., Missourian (Upper Pennsylvanian) conodonts of northeastern Kansas	4	689
5.	BALSAM, W. L., and STEVEN VOGEL, Water movement in archaeocyathids: evidence and implications of passive flow in models	5	979
6.	BANDEL, KLAUS, A new name for the ichnogenus *Cylindrichnus* Bandel, 1967 (taxonomic note)	5	1002
7.	BANDY, O. L., and EDITH VINCENT, Contribution a l'Étude des Foraminifères Paléogènes du Bassin de Paris, by Yolande LeCalves (review)	4	811
8.	BARGHUSEN, H. R., The adductor jaw musculature of *Dimetrodon* (Reptilia, Pelycosauria)	5	823
9.	BARNES, C. R., and M. L. S. POPLAWSKI, Lower and Middle Ordovician conodonts from the Mystic Formation, Quebec, Canada	4	760
10.	BELL, M. A., Pleistocene threespine sticklebacks, *Gasterosteus aculeatus*, (Pisces) from southern California	3	479
11.	BERGGREN, W. A., Manual of Planktonic Foraminifera, by J. A. Postuma (review)	5	1004
12.	BERGMAN, D. S., A trimerorhachid amphibian from the Upper Pennsylvanian of New Mexico	5	932
13.	BERRY, W. B. N., Treatise on Invertebrate Paleontology; Part V (Revised), Graptolithina, by O. M. B. Bulman under the editorship of Curt Teichert (review)	4	807
	BEVER, J. E., see CLOUD, PRESTON (24)		
14.	BIRKHEAD, P. K., and G. H. FRAUNFELTER, Some Middle Devonian stromatoporoids from southern Illinois and southeastern Missouri	6	1069
15.	BISHOP, GALE A., *Homolopsis dawsonensis*: A new crab (Crustacea, Decapoda) from the Pierre Shale (Upper Cretaceous Maastrichtian) of Cedar Creek anticline, eastern Montana	1	19
16.	BLAKE, D. B., Acanthopore morphology and function in the bryozoan family Rhabdomesidae	3	421
17.	BOUCOT, A. J., *Glypterina*, new genus, the Ordovician ptychopleurellid; two new occurrences (paleontological note)	1	136
	BROWNE, R. G., see POHL, E. R. (104)		
18.	BURDICK, D. W., and H. L. STRIMPLE, Flexible crinoids from the Fayetteville Formation (Chesterian) of northeastern Oklahoma	2	226
19.	BURDICK, D. W., and H. L. STRIMPLE, New Late Mississippian crinoids from northern Arkansas	2	231
20.	CALLOMON, J. H., On *Campylites* Rollier, 1922 and *Neoprionoceras* Spath, 1928 (Ammonoidea, Jurassic) (taxonomic note)	5	1003
21.	CAPPETTA, HENRI, Selachians from the Carlile Shale (Turonian) of South Dakota	3	504
22.	CASTER, K. E., Presentation of the Paleontological Society Medal to Katherine VanWinkle Palmer	3	599
23.	CHAMBERLAIN, C. K., and D. L. CLARK, Trace fossils and conodonts as evidence for deep-water deposits in the Oquirrh Basin of central Utah	4	663
	CLARK, D. L., see CHAMBERLAIN, C. K. (23)		
24.	CLOUD, PRESTON, and J. E. BEVER, Trace fossils from the Flathead Sandstone, Fremont County, Wyoming, compared with Early Cambrian forms from California and Australia	5	883
25.	COATES, A. G., and E. G. KAUFFMAN, Stratigraphy, paleontology and paleoenvironment of a Cretaceous coral thicket, Lamy, New Mexico	5	953
26.	COCKE, J. M., and L. D. HAYNES, *Dibunophyllum* and *Neokoninckophyllum* from the Upper Pennsylvanian Lost City Limestone in Oklahoma	2	244
27.	COCKE, J. M., and JOHN MOLINARY, *Dibunophyllum* and *Neokoninckophyllum* from the Wann Formation (Missourian) in northeastern Oklahoma	4	657
	COLLINSON, J. W., see RICH, T. H. V. (110)		
28.	COPPER, PAUL, The type species of *Lissatrypa* (Silurian Brachiopoda)	1	70
29.	COPPER, PAUL, New Siluro-Devonian atrypoid brachiopods	3	484

30. CORNELIUSSEN, E. F., and T. G. PERRY, *Monotrypa, Hallopora, Amplexopora,* and *Hennigopora* (Ectoprocta) from the Brownsport Formation (Niagaran), western Tennessee 2 151
31. CORNELL, W. C., *Archaeomonadopsis incerta* Rampi, 1940—a diatom fragment (paleontological note) 6 1121
32. COSGRIFF, J. W., *Notobrachiops picketti,* a brachyopid from the Ashfield Shale, Wiannamatta Group, New South Wales 6 1094
33. COTTER, EDWARD, Large *Rosselia* in the Upper Cretaceous Ferron Sandstone, Utah 5 975
34. CRAMER, F. H., Middle and Upper Silurian chitinozoan succession in Florida subsurface 2 279
35. CUFFEY, R. J., Recent Books of Interest to Paleontologists (reviews) 2 332
36. DALQUEST, W. W., and T. J. DONOVAN, A new three-toed horse (Nannippus) from the Late Pliocene of Scurry County, Texas 1 34
37. DALY, ELEANOR, A Lower Permian vertebrate fauna from southern Oklahoma .. 3 562
38. DAVIES, G. R., and W. W. NASSICHUK, The hydrozoan? *Palaeoaplysina* from the upper Paleozoic of Ellesmere Island, Arctic Canada 2 251
39. DAVIS, R. A., and WILLARD MOHORTER, Juvenile *Nautilus* from the Fiji Islands . 5 925
DAWSON, M. R., see EMRY, R. J. (47)
40. DELEVORYAS, T., Fossilium Catalogus; II, Plantae; Pars 79, Gymnospermae (Gingophyta et Coniferae) I; Pars 80, Gymnospermae (Gingophyta et Coniferae) II; by W. J. Jongmans and S. J. Dijkstra (review) 3 595
41. DEMAR, ROBERT, The functional implications of the geometrical organization of dentitions 3 452
42. DEWINDT, J. T., Occurrence of *Rusophycus* in the Poxono Island Formation (Upper Silurian) of eastern Pennsylvania 5 999
DONOVAN, T. J., see DALQUEST, W. W. (36)
43. EASTON, W. H., On the tetracorals *Acrocyathus* and *Lithostrotionella* and their septal morphology 1 121
44. EASTON, W. H., and W. A. OLIVER, JR., The Devonian tetracoral *Acinophyllum stokesi* (Milne-Edwards and Haime), 1851 ..... 5 915
45. EKDALE, A. A., and J. E. WARME, A diver-operated dredge for collecting quantitative benthic samples in soft sediments (paleontological note) 6 1119
46. ELLISON, S. P., JR., Symposium on Conodont Biostratigraphy, edited by Walter C. Sweet and Stig M. Bergstrom (review) 3 593
47. EMRY, R. J., and M. R. DAWSON, *Nonomys,* new name for the cricetid (Rodentia, Mammalia) genus *Nanomys* Emry and Dawson (taxonomic note) 5 1003
48. ERDTMANN, B. D., and D. W. MOOR, Reevaluation and taxonomic status of *Climacograptus typicalis* Hall and its varieties 6 1081
49. FAIRCHILD, T. R., J. W. SCHOPF, and R. L. FOLK, Filamentous algal microfossils from the Caballow Novaculite, Devonian of Texas 5 946
50. FEDUCCIA, ALAN, A new Eocene zygodactyl bird 3 501
51. FIRBY, J. R., An Oligocene non-marine molluscan fauna from eastern Nevada .. 1 115
FOLK, R. L., see FAIRCHILD, T. R. (49)
FRAUNFELTER, G. H., see BIRKHEAD, P. K. (14)
FURNISH, W. M., see GLENISTER, B. F. (55)
52. GALTON, P. M., A femur of a small theropod dinosaur from the Lower Cretaceous of England (paleontological note) 5 996
53. GERNANT, R. E., Relation of Shell Form to Life Habits in the Bivalvia (Mollusca), by Steven M. Stanley (review) 5 1006
54. GEVERS, T. W., A new name for the ichnogenus *Arthropodichnus* Gevers, 1971 (taxonomic note) 5 1002
55. GLENISTER, B. F., D. L. WINDLE, JR., and W. M. FURNISH, Australasian Metalegoceratidae (Lower Permian ammonoids) 6 1031
56. GOULD, S. J., and JOHN LITTLEJOHN, Factor analysis of caseid pelycosaurs 5 886
57. GREAVES, W. S., The influence of jaw motion from tooth wear facets (paleontological note) 5 1000
58. GUSSOW, W. C., *Chuaria circularis* Walcott from the Precambrian Hector Formation, Banff National Park, Alberta, Canada 6 1108
59. HAAS, OTTO, Recent literature on Mesozoic Ammonites—Part XIV 3 529
60. HAAS, OTTO, Recent literature on Mesozoic Ammonites—Part XV 5 892
61. HANSMAN, R. H., Note on the types of *Dictyonema thomi* Ruedemann (paleontological note) 6 1122
62. HARPER, C. W., JR., Principles of Systematic Zoology, by Ernst Mayr (review) 2 331
63. HAUGH, B. N., Water vascular system of the Crinoidea Camerata 1 77
HAUGH, B. N., see SCHOPF, J. W. (115)
64. HAYAMI, ITARU, Discontinuous variation in an evolutionary species, *Cryptopecten vesiculosus,* from Japan 3 401
HAYNES, L. D., see COCKE, J. M. (26)
65. HIBBARD, C. W., Fossils and Flies—The Life of a Compleat Scientist, Samuel Wendell Williston (1851–1918), by Elizabeth Noble Shor (review) 1 144

66. HOLMAN, J. A., Herpetofauna of the Mission local fauna (Lower Pliocene) of South Dakota 3 462
HOWE, H. J., see HOWE, R. C. (67)
HOWE, H. V., see KORNICKER, L. S. (82)
67. HOWE, R. C., and H. J. HOWE, Ostracodes from the Shubuta Clay (Tertiary) of Mississippi 4 629
68. IMLAY, R. W., Faunal Provinces in Space and Time, edited by F. A. Middlemiss, P. F. Rawson, and G. Newall (review) 5 1005
69. JAGO, J. B., A hazard in the magnesium oxide method of whitening fossils (paleontological note) 3 591
70. JOHNSON, J. G., Early Devonian Brachiopods from the Lesser Khingan District of Northeast China, by Takashi Hamada (review) 1 140
71. JOHNSON, J. G., Late Early Devonian rhynchonellid genera from arctic and western North America 3 465
72. JOHNSON, J. G., Mid-Lochkovian brachiopods from the Windmill Limestone of central Nevada 6 1013
73. JOHNSON, J. G., Some North American Rensselandiid brachiopods, Part 2 .... 6 1102
JUIGNET, P., see KENNEDY, W. J. (77)
74. KAUFFMAN, E. G., A brackish water biota from the Upper Cretaceous Harebell Formation of northwestern Wyoming 3 436
75. KAUFFMAN, E. G., Paleoecology and Paleontology of the Lower Cretaceous Kiowa Formation, Kansas, by Robert W. Scott (review) 3 595
KAUFFMAN, E. G., see COATES, A. G. (25)
76. KAYE, J. M., and D. A. RUSSELL, The oldest record of hadrosaurian dinosaurs in North America 1 91
77. KENNEDY, W. J., and P. JUIGNET, First record of the ammonite family Binneyitidae Reeside 1927 in western Europe 5 900
78. KJELLESVIG-WAERING, E. N., A new Silurian *Slimonia* (Eurypterida) from Bolivia 3 549
79. KLAITS, B. G., Upper Miocene rhinoceroses from Sansan (Gers), France: The manus 2 315
80. KOLATA, D. R., *Scalenocystites strimplei*, a new Middle Ordovician belemnocystitid solute from Minnesota 5 969
81. KOOSER, M. A., and W. N. ORR, Two new decapod species from Oregon 6 1044
82. KORNICKER, L. S., and H. V. HOWE, First report of suborder Myodocopina (Ostracoda) from the Tertiary (Eocene, North Carolina) of North America (paleontological note) 5 997
KRAUSE, F. F., see ROWELL, A. J. (112)
83. LAUDON, L. R., Two new crinoids from the Sappington Formation of Montana 4 447
84. LEBLANC, R. J., In Memoriam, E. H. (Rainey) Rainwater 4 816
85. LESPERANCE, P. J., and P. A. BOURQUE, The Synphoriinae: An evolutionary pattern of Lower and Middle Devonian trilobites—Corrigenda (paleontological note) 2 329
LITTLEJOHN, JOHN, see S. J. GOULD (56)
86. LOEBLICH, A. R., JR., and HELEN TAPPAN, Annotated index and bibliography of the calcareous nannoplankton VII 4 715
87. MCCAMMON, HELEN M., The ecology of *Magellania venosa*, an articulate brachiopod 2 266
88. MCCAMMON, RICHARD B., Data Processing in Biology and Geology, edited by J. L. Cutbill (review) 1 140
89. MACBETH, J. I., and R. A. M. SCHMIDT, Upper Cretaceous Foraminifera from Ocean Point, northern Alaska 6 1047
90. MATHER, J. C., Memorial to Esther Richards Applin 2 340
MARCUS, L. F., see WOODARD, G. D. (128)
91. MERRILL, G. K., Pennsylvanian nonplatform conodont genera, I: *Spathognathodus* 2 289
92. MERRILL, G. K., Carboniferous conodonts from northeastern Kentucky (paleontological note) 6 1122
MOLINARY, JOHN, see COCKE, J. M. (26)
MOHORTER, WILLARD, see DAVIS, R. A. (39)
MOLNAR, R. E., see SCHOPF, J. W. (115)
MOOR, D. W., see ERDTMANN, B. D. (48)
93. MORRIS, R. W., H. B. ROLLINS, and G. D. SHAAK, A new ophiuroid from the Brush Creek Shale (Conemaugh Group, Pennsylvanian) of western Pennsylvania 3 473
94. MORRIS, W. J., A review of Pacific Coast hadrosaurs 3 551
95. MOUNT, J. D., Type invertebrates from the Charles E. Weaver Collection now at the University of California, Riverside (paleontological note) 3 592
NASSICHUK, W. W., see DAVIES, G. R. (38)
96. NEALE, J. W., *Cluthia* (Crustacea, Ostracoda), a new Pleistocene and Recent leptocytherid genus 4 683

97. NITECKI, M. H., Geology of Calcareous Algae (Notes for a Short Course), by Robert N. Ginsburg, Richard Rezak, and John L. Wray (review) 2 332
98. NITECKI, M. H., and ALAN SOLEM, A problematic organism from the Mazon Creek (Pennsylvanian) of Illinois 5 903
OLIVER, W. A., JR., see EASTON, W. H. (44)
99. OLSSON, R. K., What is a kummerform planktonic foraminifer? (paleontological note) 2 327
100. ORMISTON, A. R., A coiled tentaculite from the Salmontrout Limestone, Alaska 6 1065
ORR, W. N., see KOOSER, M. A. (81)
101. OSSIAN, C. R., New Pennsylvanian scyphomedusan from western Iowa 5 990
102. PALMER, K. V., Response to presentation of Paleontological Society Medal 3 601
103. PECK, R. E., *Applinocrinus*: A new genus of Cretaceous microcrinoids and its distribution in North America 1 94
PERRY, T. G., see CORNELIUSSEN, E. F. (30)
104. POHL, E. R., and R. G. BROWNE, A thin section method for ultrasmall paleontologic specimens 2 221
105. POHL, E. R., and E. J. ZELLER, Mississippian endothyroid Foraminifera—A correction 6 1077
POPLAWSKI, M. L. S., see BARNES, C. R. (9)
106. POTTER, P. W., Evolution of Sedimentary Rocks, by Robert M. Garrels and Fred T. Mackenzie (review) 1 141
107. RENSBERGER, J. M., An occlusion model for mastication and dental wear in herbivorous mammals 3 515
108. RENSBERGER, J. M. *Sanctimus* (Mammalia, Rodentia) and the phyletic relationships of the large arikareean geomyoids 5 835
109. RICH, MARK, Early Mississippian plant and trilobite remains from northwestern Georgia (paleontological note) 6 1116
110. RICH, T. H. V., and J. W. COLLINSON, First mammalian fossil from the Flagstaff Limestone, central Utah: *Vulpavus australis* (Carnivora: Miacidae) ... 5 854
111. RIGBY, J. K., A new anthaspidellid sponge from the Silurian of Lake Timiskaming, Quebec 4 801
ROLLINS, H. B., see MORRIS, R. W. (93)
112. ROWELL, A. J., and F. F. KRAUSE, Habitat diversity in the Acrotretacea (Brachiopoda, Inarticulata) 4 791
RUSSELL, D. A., see KAYE, J. M. (76)
113. SARJEANT, W. A. S., An investigation of microplankton assemblages from the Albian of the Paris Basin by R. J. Vavey and J.-P. Verdier (review) 3 595
SATTERTHWAIT, D. F., see SCHOPF, J. W. (115)
114. SCHAEFFER, BOBB, Paleozoic Fishes, 2nd Edition, by J. A. Moy-Thomas, revised by R. S. Miles (review) 1 142
SCHMIDT, R. A. M., see MACBETH, J. I. (89)
115. SCHOPF, J. W., B. N. HAUGH, R. E. MOLNAR, and D. F. SATTERTHWAIT, On the development of metaphytes and metazoans 1 1
SCHOPF, J. W., see FAIRCHILD, T. R. (49)
116. SCHRAM, F. R., Pseudocoelomates and a nemertine from the Illinois Pennsylvanian 5 985
SHAAK, G. D., see MORRIS, R. W. (93)
117. SHAVER, R. H., T. G. Perry, A Memorial 2 337
SOLEM, ALAN, see NITECKI, M. H. (98)
SOULE, J. D., see VOIGHT, EHRHARD (123)
118. SPRINKLE, JAMES, *Tripatocrinus*, a new hybocrinid crinoid based on disarticulated plates from the Antelope Limestone of Nevada and California 5 861
119. SPRINKLE, JAMES, New occurrence of the Ordovician Eocrinoid *Lingulocystis* from Bolivia, South America (paleontological note) 6 1113
STRIMPLE, H. L., see BURDICK, D. W. (18)
STRIMPLE, H. L., see BURDICK, D. W. (19)
120. SWAIN, F. M., Upper Cretaceous Ostracoda from the Northwestern Pacific Ocean 4 711
TAPPAN, HELEN, see LOEBLICH, A. R., JR. (86)
121. TASCH, PAUL, Jurassic beetle from southern Victoria Land, Antarctica (paleontological note) 3 590
122. TEICHERT, CURT, Techniques of revealing cephalopod sutures (paleontological note) 1 139
VINCENT, EDITH, see BANDY, O. L. (7)
VOGEL, STEVEN, see BALSAM, W. L. (5)
123. VOIGHT, EHRHARD, and J. D. SOULE, Cretaceous burrowing bryozoans 1 21
WARME, J. E., see EKDALE, A. A. (45)
124. WARN, J. M., The Ordovician crinoid *Heterocrinus*, with reference to brachial variability in *H. tennis* 1 10

125. WARREN, J. S., Form and variation of the dinoflagellate *Sirmiodinium grossi* Alberti, from the Upper Jurassic and Lower Cretaceous of California 1 101
126. WELLS, J. W., *Texastrea*, a new scleractinian coral from the Lower Cretaceous of Texas 5 913
127. WEST, R. M., An early Middle Eocene epoicotheriid (Mammalia) from southwestern Wyoming 5 929
WHISTLER, D. P., see WOODBURNE, M. O. (129)
WINDLE, D. L., JR., see GLENISTER, B. F. (55)
128. WOODARD, G. D., and L. F. MARCUS, Rancho La Brea fossil deposits: a reevaluation from stratigraphic and geological evidence 1 54
129. WOODBURNE, M. O., and D. P. WHISTLER, An Early Miocene oreodont (Merychyinae, Mammalia) from the Orocopia Mountains, southern California 5 908
130. WRIGHT, A. D., On the splitting of the brachiopod genus *Ptychopleurella* (paleontological note) 1 137
131. YANCEY, T. E., A new genus of Permian siphonodentalid scaphopods, and its bearing on the origin of the Siphonodentaliidae 6 1062
132. YANCEY, T. E., Reassignment of *Dentalium canna* White, 1874, to *Prodentalium* (paleontological note) 6 1126
ZELLER, E. J., see E. R. POHL (105)

SUBJECT INDEX

Acanthocythereis multispicata: new species, ostracod (67)
Acanthocythereis spinomuralis: new species, ostracod (67)
Acanthopore morphology: Family Rhabdomesidae, Bryozoa (16)
Acrocyathus: tetracoral, septal morphology (43)
Aethotaxis advena: new genus and new species, conodont (4)
Alaska: foraminifers, Cretaceous (89); tentaculite, Devonian (100)
Alberta: *Chuaria* (planktonic organism), Precambrian (58)
Ammonites: Binneyitidae Reeside in western Europe (77); recent literature, Mesozoic (59), (60)
Ammonoids: Permian, Australia (55)
Amphibian: Pennsylvanian, New Mexico (12); Triassic, New South Wales (32)
Amplexopora brownsportensis: new species, bryozoa (30)
Anemonichnus concentricus: new genus and new species, trace fossil (23)
Antarctica: beetle, Jurassic (121)
Anthozoa (tetracorals): septal morphology (43)
Apparatus types: conodonts, Pennsylvania (4)
Applinocrinus: new genus, crinoid (103)
Applinocrinus texanus: new species, crinoid (103)
Archaeocyathids: experiments with models to determine fluid movement (5)
Archisymplectes rhothon: new genus and new species, worm (116)
Arctic: brachiopods, Devonian (71)
Arizona: plants, Triassic (3)
Arkansas: crinoids, Mississippian (19)
Athyrhynchus susanae: new genus and new species, brachiopod (71)
Australia: ammonoids, Permian (55)
Beetle: Jurassic, Antarctic (121)
Belemnocystitidae: Ordovician, Minnesota (80)
Bergaueria radiata: new species, trace fossil (2)
Bird: Eocene, Wyoming (50)
Bolivia: eocrinoid, Ordovician (119); eurypterid, Silurian (78)
Brachaelurus greeni: new species, selachian (21)
Brachiopoda: Arctic and western North America, Devonian (71); Devonian, Nevada (72); Devonian, Utah and Idaho (73); ecology of *Magellania venosa* (87); habitat diversity, Inarticulata (112); Ordovician, *Glypterina* (17); *Ptychopleurella*, Ordovician-Silurian-Devonian (130); Silurian, Canada (28); Silurian-Devonian, atrypoids (29)
Brachyphyllum hegewaldia: new species, conifer (3)
Brackish water biota: Cretaceous, Wyoming (74)
Bryozoa: acanthopore morphology, Paleozoic (16); burrowing types, Cretaceous (123); Silurian, Tennessee (30)
California: diatom, Cretaceous (31); dinoflagellate, Jurassic and Lower Cretaceous (125); hybocrinoid, Ordovician (118); oreodont, Miocene (129); Pisces, Pleistocene (10); Rancho La Brea, Pleistocene stratigraphy (128); trace fossil, Cambrian (2)
Calstevenus arcturus: new genus and new species, scaphopod (131)
Calycocoelia annulata: new species, sponge (111)
Cambrian: trace fossils, California (2); trace fossils, Wyoming (24)
Canada: brachiopod, Silurian (28); hydrozoan?, Upper Paleozoic (38)
Carboniferous: conodonts, Kentucky (92)
Carinatrypa: new genus, brachiopod (29)
Cephalopod: techniques in revealing sutures (122)
Chitinozoa: Silurian, Florida (34)

Chuaria (planktonic organism): Precambrian, Alberta (58)
Cladophlebis yazzia: new species, fern (3)
Climacograptus typicalis Hall: reevaluation and taxonomic status (48)
Climate: Triassic Chinle, Arizona (3)
Cluthia: new genus, ostracod (96)
Computer simulation: dental wear in herbivorous mammals (107)
Conodonts: Carboniferous, Kentucky (92); Ordovician, Quebec (9); Pennsylvanian, Kansas (4); Pennsylvanian and Permian, Utah (23); *Spathognathodus*, Pennsylvanian (91)
Corals: *Acinophyllum stokesi*, Devonian tetracoral (44); Cretaceous, New Mexico (25); Lower Cretaceous, Texas (126); Pennsylvanian, Oklahoma (26); Pennsylvanian, Oklahoma (27); tetracorals, septal morphology (43)
Cordylodus horridus: new species, conodont (9)
Corniculina salvelinensis: new species, tentaculite (100)
Costatrypa: new genus, brachiopod (29)
Cretaceous: ammonites, Europe (77); brackish water biota, Wyoming (74); burrowing bryozoans (123); coral thicket, New Mexico (25); crustacean, Montana (15); diatom, California (31); dinosaur, Mississippi (76); foraminifers, Alaska (89); hadrosaurs, Pacific Coast (94); microcrinoids, Gulf Coast (103); ostracods, north-west Pacific Ocean (120); selachians, South Dakota (21); trace fossils, Utah (33)
Cretaceous (Lower): dinoflagellate, California (125); dinosaur, England (52); scleractinian coral, Texas (126)
Cretaceous-Paleocene boundary: northwest Wyoming (74)
Crinoidea: Cretaceous, Gulf Coast (103); Devonian, Montana (83); Mississippian, Arkansas (19); Mississippian, Oklahoma (18); Ordovician, Nevada and California (118); Ordovician, Ohio (124); water vascular system, Mississippian (63)
Crustacea (decapod): Cretaceous, Montana (15)
Cryptopecten vesiculosus: discontinuous variation, Japan (64)
Decapod: Eocene, Oregon (81)
Dentition: functional implications of geometrical organization (41); occlusion model for wear in herbivorous mammals (107)
Devonian: *Acinophyllum stokesi*, tetracoral (44); algal microfossils, Texas (49); atrypoid brachiopods (29); brachipods, Arctic and western North America (71); brachiopods, Nevada (72); brachiopods, Utah and Idaho (73); crinoids, Montana (83); stromatoporoids, Illinois and Missouri (14); tentaculite, Alaska (100); trilobites, evolution (85)
Diatom: Cretaceous, California (31)
Dibunophyllum hansoni: new species, coral (26)
Dicaelosia varicaformis: new species, brachiopod (72)
Dimetrodon: adductor jaw musculature, Reptilia (8)
Dinoflagellate: Jurassic and Lower Cretaceous, California (125)
Dinosaur: hadrosaur, Cretaceous, Mississippi (76); Lower Cretaceous, England (52)
Dredge: sampling underwater soft sediments (45)
Ecology: articulate brachiopod (87); kummerform foraminifers (99)
Ectorensselandia: new genus, brachiopod (73)
Eifelatrypa: new genus, brachiopod (29)
Ellesmere Island: hydrozoan?, Upper Paleozoic (38)
England: dinosaur, Lower Cretaceous (52)
Eocene: bird, Wyoming (50); decapod, Oregon (81); epoicotheriid mammal, Wyoming (127); mammalian fossil, Utah (110); ostracod, North Carolina (82)
Eocrinoid: Ordovician, Bolivia (119)
Eoguttulina gracilis: new species, foraminifer (89)
Eospinatrypa: new genus, brachiopod (29)
Escumasia roryi: new genus and new species, systematic position unknown (98)
Eucythere shubutaensis: new species, ostracod (67)
Eucytherura delicata: new species, ostracod (67)
Europe: ammonites, Binneyitidae Reeside (77)
Eurypterida: Silurian, Bolivia (78)
Evolution: discontinuous variation, *Cryptopecten vesiculosus* (64); larger geomyoids (108); trilobites, Devonian (85)
Factor analysis: measures of caseid pelycosaurs (56)
Fayetteville Formation: crinoids, Oklahoma (18)
Flagstaff Limestone: mammalian fossil, early Eocene (110)
Florida: chitinozoans, Silurian (34)
Foraminifera: endothyroid, Mississippian (105); kummerform vs. normalform (99); Upper Cretaceous, Alaska (89)
Foraripora pesavis: new genus and new species, bryozoan (123)
France: rhinoceroses, Miocene (79)
Genetic interpretation: discontinuous variation in *Cryptopecten vesiculosus* (64)
Gennaeocrinus seversoni: new species, crinoid (83)
Geometrical organization: dentition in reptiles (41)
Geomyoids: phyletic relationships, Miocene (108)
Georgia: plant fossils, Mississippian (109); trilobites, Mississippian (109)
Glypterina: brachiopod, Ordovician (17)

Goleocrinus impressus: new species, crinoid (19)
Goleocrinus mangeri: new species, crinoid (19)
Gracianellinae: new subfamily, brachiopods (72)
Grandfieldia callilepidota: new genus and new species, palaeoniscoid (fish) (37)
Graptolites: Ordovician, Indiana (48); types of *Dictyonema thomi* Ruedemann (61)
Gulf Coast: microcrinoids, Cretaceous (103)
Habitat: inarticulate brachiopods (112)
Hadrosaurs: Pacific Coast, Cretaceous (94)
Hapsidopareion lepton: new genus and new species, microsaur (37)
Hapsidopareiontidae: new family, microsaur (37)
Herpetofauna: Pliocene, South Dakota (66)
Heterocrinus tenuis: brachial variability, Ordovician (124)
Homolopsis dawsonensis: new species, decapod (15)
Horse: Pliocene, Texas (36)
Hydrozoan?: Upper Paleozoic, Arctic Canada (38)
Idaho: brachiopods, Devonian (73)
Illinois: problematic organism, Pennsylvanian (98); stromatoporoids, Devonian (14); worms, Pennsylvanian (116)
Independatrypa: new genus, brachiopod (29)
Indiana: graptolites, Ordovician (48)
Iowa: jellyfish, Pennsylvanian (101)
Iowatrypa: new genus, brachiopod (29)
Japan: *Cryptopecten vesiculosus*: discontinuous variation (64)
Jellyfish: Pennsylvanian, Iowa (101)
Jurassic: beetle, Antarctica (121); dinoflagellate, California (125)
Kansas: conodonts, Pennsylvanian (4)
Kentucky: conodonts, Carboniferous (92)
Kummerform: foraminifers, interpretation (99)
Lafonius lehmani: new genus and new species, amphibian (12)
Lingulocystis boliviensis: new species, eocrinoid (119)
Lissatrypa atheroidea: redescription, Silurian brachiopod (28)
Literature: ammonites, Mesozoic (59), (60)
Lithostrotionella: tetracoral, septal morphology (43)
Lophopanopeus baldwini: new species, decapod (81)
Loxoconcha inflata: new species, ostracod (67)
Lymnaea disjuncta: new species, gastropod (51)
Lymnaea nevadensis: new species, gastropod (51)
Magellania venosa: ecology, articulate brachiopod (87)
Magnesium oxide: hazard in whitening fossils (69)
Mammalia: early Eocene, Utah (110); epoicotheriid, Eocene of Wyoming (127); occlusion model for dental wear (107); oreodont, California Miocene (129); *Sanctimus* and large geomyoids, Miocene (108)
Margaritichnus: new generic name for *Cylindrichnus* Bandel 1967, trace fossil (6)
Mazon Creek: problematic organism, Pennsylvanian (98)
Megistocrinus whitehalli: new species, crinoid (83)
Mesozoic: ammonites, literature (59)
Metalegoceras kayi: new species, ammonite (55)
Metalegoceratidae: review of taxonomy (55)
Metaphytes: development in the Precambrian (115)
Metazoans: development in the Precambrian (115)
Micraroter erythrogeios: new genus and new species, microsaur (37)
Minnesota: carpoid, Ordovician (80)
Miocene: geomyoids, phyletic relationships (108); oreodont, California (129); rhinoceroses, France (79)
Mississippi: dinosaur, Cretaceous (76); ostracodes, Tertiary (67)
Mississippian: crinoids, Arkansas (19); crinoids, Oklahoma (18); crinoids, water vascular system (63); endothyroid foraminifers, a correction (105); plant fossils, Georgia (109); trilobite, Georgia (109)
Missouri: stromatoporoids, Devonian (14)
Mollusca: Oligocene nonmarine, Nevada (51)
Montana: crinoids, Devonian (83); crustacean, Cretaceous (15)
Musculature: adductor jaw in reptiles (8)
Mytilus lovei: new species, pelecypod (74)
Nannippus beckensis: new species, horse (36)
Nannoplankton: index and bibliography (86)
Nautilus sp.: juvenile forms, Fiji Islands (39)
Nemavermes mackeei: new genus and new species, worm (116)
Neocampylites: new generic name for *Campylites* Rollier 1922, ammonite (20)
Neokoninckophyllum strimplei: new species, coral (27)
Nevada: brachiopods, Devonian (72); inarticulate brachiopods, Lower Paleozoic (112); nonmarine mollusk, Oligocene (51); scaphopod, Permian (131)
New Mexico: amphibian, Pennsylvanian (12); coral thicket, Cretaceous (25)

New South Wales: brachyopid, Triassic (32)
Nonomys: new generic name for *Nanomys* Emry and Dawson 1972, rodent (47)
North America, western: Brachiopoda, Devonian (71)
North Carolina: ostracod, Eocene (82)
Notoparmella gilli: new genus and new species, brachiopod (72)
Odontaspis parvidens: new species, selachian (21)
Ohio: crinoids, Ordovician (124)
Oklahoma: corals, Pennsylvanian (26); corals, Pennsylvanian (27); crinoids, Mississippian (18); vertebrates, Permian (37)
Oligocene: nonmarine mollusks, Nevada (51)
Ophiuroid: Pennsylvanian, Pennsylvania (93)
Ordovician: brachiopod, *Glypterina* (17); carpoid, Minnesota (80); conodonts, Quebec (9); crinoids, Ohio (124); eocrinoid, Bolivia (119); graptolites, Indiana (48); hybocrinoid, Nevada and California (118)
Oregon: decapod, Eocene (81)
Ostracoda: Cretaceous, NW Pacific Ocean (120); Devonian, Nevada (72); Eocene, North Carolina (82); Pleistocene and Recent (96); Tertiary, Mississippi (67)
Pacific Coast: hadrosaurs, Cretaceous (94)
Pacific Ocean: ostracodes, Cretaceous (120)
Palaeoaplysina: hydrozoan?, Arctic Canada (38)
Palaeogeminella folkii: new genus and new species, algal microfossil (49)
Paleoecology: algal microfossils, Devonian of Texas (49); Oligocene nonmarine, Nevada (51); Pleistocene, California (10); scaphopod, Permian of Nevada (131)
Paleoenvironment: coral thicket, Cretaceous of New Mexico (25); Cretaceous foraminifers, Alaska (89); graptolites, Ordovician of Indiana (48)
Paleontological techniques: cephalopod sutures (122)
Paleotectonics: Pennsylvanian and Permian, Utah (23)
Paleozoic: Lower, inarticulata brachiopods (112); Upper, hydrozoan?, Arctic Canada (38)
Paracymbiocrinus ormandi: new genus and new species, crinoid (19)
Paracypris media: new species, ostracod (67)
Paraphysocythere riedeli: new species, ostracod (120)
Paucijaculum samamithion: new genus and new species, worm (116)
Pelecypod: discontinuous variation in evolutionary species (64)
Penetrantia gosaviensis: new species, bryozoan (123)
Pennsylvania: ophiuroid, Pennsylvania (93)
Pennsylvanian: amphibian, New Mexico (12); conodonts, Kansas (4); conodonts, *Spathognathodus* (91); conodonts, Utah (23); corals, Oklahoma (26); corals, Oklahoma (27); jellyfish, Iowa (101); ophiuroid, Pennsylvania (93); problematic organism, Illinois (98); trace fossil, Silurian (42); trace fossils, Utah (23); worms, Illinois (Mazon Creek) (116)
Permian: ammonites, Australia (55); conodonts, Utah (23); scaphopod (132); scaphopod, Nevada (131); trace fossils, Utah (23); vertebrates, Oklahoma (37)
Phanocrinus imoensis: new species, crinoid (19)
Phylogeny: *Sanctimus* and large geomyoids, Miocene (108)
Pisces: Pleistocene, California (10); selachians, Cretaceous, South Dakota (21)
Plants: Mississippian, Georgia (109); Triassic, Arizona (3)
Pleistocene: ostracod, new genus (96); Pisces, California (10); Rancho La Brea, California (128)
Pleistocene-Recent: *Cryptopecten vesiculosus*, discontinuous variation (64)
Pliocene: herpetofauna, South Dakota (66); horse, Texas (36)
Precambrian: *Chuaria* (planktonic organism), Alberta (58); development of metaphytes and metazoans (115)
Priapulites konecniorum: new genus and new species, worm (116)
Primobucco kisterni: new species, bird (50)
Prothysanostoma eleanorae: new genus and new species, jellyfish (101)
Protopanderodus asymmetricus: new species, conodont (9)
Protopanderodus strigatus: new species, conodont (9)
Protopanderodus ? tricarinatus: new species, conodont (9)
Pseudoatrypa: new genus, brachiopod (29)
Pseudocolumna schorni: new species, gastropod (51)
Pseudopolymorphina arctica: new species, foraminifer (89)
Ptychopleurella: brachiopod, Ordovician, Silurian, Devonian (130)
Ptychotrygon ledouxi: new species, selachian (21)
Quebec: conodonts, Ordovician (9); sponge, Silurian (111)
Rancho La Brea: Pleistocene stratigraphy, California (128)
Recent: ostracod, new genus (96)
Reptilia: adductor jaw musculature (8); dentition, implication of organization (4); factor analysis in pelycosaurs (56)
? *Rhinobatos incertus*: new species, selachian (21)
Rhinoceroses: Miocene, France (79)
Scalenocystites strimplei: new genus and new species, carpoid (80)
Scandodus flexuosus: new species, conodont (9)
Scandodus mysticus: new species, conodont (9)

Scaphopod: Permian (132)
Scaphopod: Permian, Nevada (131)
Selachians: Cretaceous, South Dakota (21)
Silurian: atrypoid brachiopods (29); brachiopods, Canada (28); bryozoans, Tennessee (30); chitinozoans, Florida (34); eurypterid, Bolivia (78); sponge, Quebec (111); trace fossil, Pennsylvanian (42)
Sirmiodinium grossi: dinoflagellate, form and function (125)
Slimonia boliviana: new species, eurypterid (78)
South Dakota: herpetofauna, Pliocene (66); *Sanctimus*, rodent (108); selachians, Cretaceous (21)
Spathognathodus: conodont, generic study (91)
Spathognathodus ellisoni: new species, conodont (91)
Spathognathodus ohioensis: new species, conodont (91)
Spathognathodus orphanus: new species, conodont (91)
Sponge: Silurian, Quebec (111)
Statistical analysis: bryozoa, Silurian (30)
Stratigraphy: Rancho La Brea, California (128)
Stromatoporoids: Devonian, Illinois and Missouri (14); terminology of shapes (1)
Syntomospina kuehni: new genus and new species, ophiuroid (93)
Techniques: magnesium oxide hazard (69); thin section method, ultrasmall specimens (104)
Tennessee: bryozoans, Silurian (30)
Tentaculids, Devonian, Alaska (100)
Terebripora (?) *bassleri*: new species, bryozoan (123)
Terebripora (?) *echinicola*: new species, bryozoan (123)
Terebripora (?) *sibirica*: new species, bryozoan (123)
Tertiary: ostracodes, Mississippi (67)
Tetrapassalus proius: new species, mammal (127)
Texas: horse, Pliocene (36); scleractinian coral, Lower Cretaceous (126)
Texastrea catenata: new genus and new species, coral (126)
Thallophyta: Devonian, Texas (49)
Thin section method: ultrasmall specimens (104)
Tooth wear: inference of jaw motion (57)
Trace fossil: Cambrian, California (2); Cambrian, Wyoming (24); Pennsylvanian and Permian, Utah (23); Silurian, Pennsylvanian (42); Upper Cretaceous, Utah (33)
Trachyleberis ? quadrata: new species, ostracod (67)
Triassic: brachyopid, New South Wales (32); plants, Arizona (3)
Trilobita: Devonian, evolution (85); Mississippian, Georgia (109)
Tripatocrinus pustulatus: new genus and new species, crinoid (118)
Type Invertebrates: Charles E. Weaver Collection at University of California, Riverside (95)
Undiferina nevadensis: new species, brachiopod (112)
Utah: brachiopods, Devonian (73); conodonts, Pennsylvanian and Permian (23); mammalian fossils, Eocene (110); trace fossils, Cretaceous (33); trace fossils, Pennsylvanian and Permian (23)
Vertebrates: Oklahoma, Permian (37)
Water vascular system: crinoids, Mississippian (63)
Worms: Pennsylvanian, Illinois (116)
Wyoming: bird, Eocene (50); brackish water biota, Cretaceous (74); epoicotheriid mammal, Eocene (127); trace fossils, Cambrian (24)
Xestoleberis vesca: new species, ostracod (67)
Zanthopis rathbunae: new species, decapod (81)